

logo not found or type unknown

Michigan Woman Whose Fake Covid Test Result Was Flagged Because of Mismatched Fonts Gets Arrested, Fined and Sent Back Home

Crime / **Published On May 01, 2021 05:48 AM /**

Staff Consortium **May 01, 2021**

Image not found or type unknown



Mugshot of Kayla Miller By. THE VIRGIN ISLANDS POLICE DEPARTMENT

ST. THOMAS — A Michigan woman who had not been given clearance to travel to the USVI after uneven fonts on her submitted Covid-19 test result document caused it to be flagged, was arrested Monday as she entered St. Thomas through the Cyril E. King Airport, according to a probable cause document filed in the Superior Court.

Police spokesman Toby Derima said the territory's Covid Task Force officers arrested Kayla Miller, age 20 of Roseville, Michigan and charged her with fraudulent claims upon the government, access to a computer for fraudulent purposes, use of false information, and filing or

recording forged instruments.

Along with the fonts being mismatched, the entire document appeared to be generally off, Covid Task Force officers said, according to the probable cause fact sheet. Miller was unable to make bail of \$5,500 and was remanded to the Bureau of Corrections.

When she appeared in court on Wednesday, Magistrate Judge Henry Carr III ruled that Miller pay \$500 and return to Michigan.

© Viconsortium 2025